


Amendments to the Claims:

This listing of claims will replace all prior versions and listing of claims in the application.

Listing of Claims:

1. (currently amended) A compound of general formula I



wherein:

R_a is a benzyl, 1-phenylethyl, or 3-chloro-4-fluorophenyl group;

R_b is a dimethylamino, *N*-methyl-*N*-ethylamino, ~~diethylamino~~, *N*-methyl-*N*-isopropylamino, *N*-methyl-*N*-cyclopropylamino, *N*-methyl-*N*-(2-methoxyethyl)amino, *N*-ethyl-*N*-(2-methoxyethyl)amino, bis(2-methoxyethyl)amino, morpholino, *N*-methyl-*N*-(tetrahydrofuran-3-yl)amino, *N*-methyl-*N*-(tetrahydrofuran-2-ylmethyl)amino, *N*-methyl-*N*-(tetrahydrofuran-3-ylmethyl)amino, *N*-methyl-*N*-(tetrahydropyran-4-yl)amino, or *N*-methyl-*N*-(tetrahydropyran-4-ylmethyl)amino group; and

R_c is a cyclopropylmethoxy, cyclobutyloxy, cyclopentyloxy, tetrahydrofuran-3-yloxy, tetrahydrofuran-2-ylmethoxy, tetrahydrofuran-3-ylmethoxy, tetrahydropyran-4-yloxy, or tetrahydropyran-4-ylmethoxy group,

or a ~~tautomer~~, stereoisomer, or physiologically acceptable salt thereof.

2. (currently amended) The compound of claim 1, with the exception of the compounds:

~~(1) 3-chloro-4-fluorophenylamino]-6-[(4-(*N,N*-diethylamino)-1-oxo-2-buten-1-yl]amino]-7-cyclopropylmethoxyquinazoline;~~

Examiner's
mdf
7-1-04

(1) ~~(2)~~ 4-[(3-chloro-4-fluorophenyl)amino]-6-[[4-(morpholin-4-yl)-1-oxo-2-buten-1-yl]amino]-7-cyclopropylmethoxyquinazoline;

(2) ~~(3)~~ 4-[(3-chloro-4-fluorophenyl)amino]-6-[[4-(dimethylamino)-1-oxo-2-buten-1-yl]amino]-7-cyclopropylmethoxyquinazoline;

(3) ~~(4)~~ 4-[(3-chloro-4-fluorophenyl)amino]-6-[[4-(morpholin-4-yl)-1-oxo-2-buten-1-yl]amino]-7-cyclobutylloxyquinazoline;

(4) ~~(5)~~ 4-[(3-chloro-4-fluorophenyl)amino]-6-[[4-(morpholin-4-yl)-1-oxo-2-buten-1-yl]amino]-7-cyclopentylloxyquinazoline;

~~(6) 4-[(3-chloro-4-fluorophenyl)amino]-6-[[4-(diethylamino)-1-oxo-2-buten-1-yl]amino]-7-cyclobutylloxyquinazoline;~~

~~(7) 4-[(3-chloro-4-fluorophenyl)amino]-6-[[4-(diethylamino)-1-oxo-2-buten-1-yl]amino]-7-cyclopentylloxyquinazoline;~~

(5) ~~(8)~~ 4-[(R)-(1-phenylethyl)amino]-6-[[4-(morpholin-4-yl)-1-oxo-2-buten-1-yl]amino]-7-cyclobutylloxyquinazoline;

(6) ~~(9)~~ 4-[(R)-(1-phenylethyl)amino]-6-[[4-(morpholin-4-yl)-1-oxo-2-buten-1-yl]amino]-7-cyclopropylmethoxyquinazoline;

(7) ~~(10)~~ 4-[(R)-(1-phenylethyl)amino]-6-[[4-(morpholin-4-yl)-1-oxo-2-buten-1-yl]amino]-7-cyclopentylloxyquinazoline;

~~(11) 4-[(R)-(1-phenylethyl)amino]-6-[[4-(diethylamino)-1-oxo-2-buten-1-yl]amino]-7-cyclobutylloxyquinazoline;~~

~~(12) 4-[(R)-(1-phenylethyl)amino]-6-[[4-(diethylamino)-1-oxo-2-buten-1-yl]amino]-7-cyclopentylloxyquinazoline;~~

~~(13) 4-[(R)-(1-phenylethyl)amino]-6-[[4-(diethylamino)-1-oxo-2-buten-1-yl]amino]-7-cyclopropylmethoxyquinazoline;~~

(8) ~~(14)~~ 4-[(3-chloro-4-fluorophenyl)amino]-6-({4-[bis(2-methoxyethyl)amino]-1-oxo-2-buten-1-yl}amino)-7-cyclopropylmethoxyquinazoline;

(9) ~~(15)~~ 4-[(3-chloro-4-fluorophenyl)amino]-6-({4-[N-ethyl-N-(2-methoxyethyl)amino]-1-oxo-2-buten-1-yl}amino)-7-cyclopropylmethoxyquinazoline;

(10) ~~(16)~~ 4-[(3-chloro-4-fluorophenyl)amino]-6-({4-[N-methyl-N-(tetrahydropyran-4-yl)amino]-1-oxo-2-buten-1-yl}amino)-7-cyclopropylmethoxyquinazoline;

~~(17) 4-[(3-chloro-4-fluorophenyl)amino]-6-[[4-(diethylamino)-1-oxo-2-buten-1-yl]amino]-7-[(tetrahydrofuran-2-yl)methoxy]quinazoline;~~

~~(18) 4-[(3-chloro-4-fluorophenyl)amino]-6-[[4-(diethylamino)-1-oxo-2-buten-1-yl]amino]-7-[(S)-(tetrahydrofuran-3-yl)oxy]quinazoline;~~

~~(19) 4-[(3-chloro-4-fluorophenyl)amino]-6-[[4-(diethylamino)-1-oxo-2-buten-1-yl]amino]-7-[(tetrahydropyran-4-yl)oxy]quinazoline;~~

(11) ~~(20)~~ 4-[(3-chloro-4-fluorophenyl)amino]-6-({4-[N-methyl-N-(tetrahydrofuran-2-ylmethyl)amino]-1-oxo-2-buten-1-yl}amino)-7-cyclopropylmethoxyquinazoline; and

(12) ~~(21)~~ 4-[(3-chloro-4-fluorophenyl)amino]-6-({4-[N-methyl-N-(tetrahydrofuran-3-yl)amino]-1-oxo-2-buten-1-yl}amino)-7-cyclopropylmethoxyquinazoline,

or a tautomer, stereoisomer, or physiologically acceptable salt thereof.

3. (currently amended) The compound of one of claims 1 or 2, with the exception of the compounds:

~~(1) 4-[(3-chloro-4-fluorophenyl)amino]-6-[[4-(N,N-diethylamino)-1-oxo-2-buten-1-yl]amino]-7-cyclopropylmethoxyquinazoline;~~

(1) ~~(2)~~ 4-[(3-chloro-4-fluorophenyl)amino]-6-[[4-(morpholin-4-yl)-1-oxo-2-buten-1-yl]amino]-7-cyclopropylmethoxyquinazoline;

(2) ~~(3)~~ 4-[(3-chloro-4-fluorophenyl)amino]-6-[[4-(dimethylamino)-1-oxo-2-buten-1-yl]amino]-7-cyclopropylmethoxyquinazoline;

(3) ~~(4)~~ 4-[(3-chloro-4-fluorophenyl)amino]-6-[[4-(morpholin-4-yl)-1-oxo-2-buten-1-yl]amino]-7-cyclobutyloxyquinazoline;

(4) ~~(5)~~ 4-[(3-chloro-4-fluorophenyl)amino]-6-[[4-(morpholin-4-yl)-1-oxo-2-buten-1-yl]amino]-7-cyclopentyloxyquinazoline;

*Examiner's
Andt
7-1-04*
(6) ~~4-[(3-chloro-4-fluorophenyl)amino]-6-[[4-(diethylamino)-1-oxo-2-buten-1-yl]amino]-7-cyclobutyloxyquinazoline;~~

(7) ~~4-[(3-chloro-4-fluorophenyl)amino]-6-[[4-(diethylamino)-1-oxo-2-buten-1-yl]amino]-7-cyclopentyloxyquinazoline;~~

(5) ~~(8)~~ 4-[(R)-(1-phenylethyl)amino]-6-[[4-(morpholin-4-yl)-1-oxo-2-buten-1-yl]amino]-7-cyclobutyloxyquinazoline;

(6) ~~(9)~~ 4-[(R)-(1-phenylethyl)amino]-6-[[4-(morpholin-4-yl)-1-oxo-2-buten-1-yl]amino]-7-cyclopropylmethoxyquinazoline;

(7) ~~(10)~~ 4-[(R)-(1-phenylethyl)amino]-6-[[4-(morpholin-4-yl)-1-oxo-2-buten-1-yl]amino]-7-cyclopentyloxyquinazoline;

*Examiner's
Andt
7-1-04*
(11) ~~4-[(R)-(1-phenylethyl)amino]-6-[[4-(diethylamino)-1-oxo-2-buten-1-yl]amino]-7-cyclobutyloxyquinazoline;~~

(12) ~~4-[(R)-(1-phenylethyl)amino]-6-[[4-(diethylamino)-1-oxo-2-buten-1-yl]amino]-7-cyclopentyloxyquinazoline;~~

Examiners
Amst
07-01-04

Serial No. 10/023,099

~~(13) 4-[(R)-(1-phenylethyl)amino]-6-[[4-(diethylamino)-1-oxo-2-buten-1-yl]amino]-7-cyclopropylmethoxyquinazoline;~~

(8) ~~(14)~~ 4-[(3-chloro-4-fluorophenyl)amino]-6-({4-[bis(2-methoxyethyl)amino]-1-oxo-2-buten-1-yl}amino)-7-cyclopropylmethoxyquinazoline;

(9) ~~(15)~~ 4-[(3-chloro-4-fluorophenyl)amino]-6-({4-[N-ethyl-N-(2-methoxyethyl)amino]-1-oxo-2-buten-1-yl}amino)-7-cyclopropylmethoxyquinazoline;

(10) ~~(16)~~ 4-[(3-chloro-4-fluorophenyl)amino]-6-({4-[N-methyl-N-(tetrahydropyran-4-yl)amino]-1-oxo-2-buten-1-yl}amino)-7-cyclopropylmethoxyquinazoline;

Examiners
Amst
7-01-04

~~(17) 4-[(3-chloro-4-fluorophenyl)amino]-6-[[4-(diethylamino)-1-oxo-2-buten-1-yl]amino]-7-[(tetrahydrofuran-2-yl)methoxy]quinazoline;~~

~~(18) 4-[(3-chloro-4-fluorophenyl)amino]-6-[[4-(diethylamino)-1-oxo-2-buten-1-yl]amino]-7-[(S)-(tetrahydrofuran-3-yl)oxy]quinazoline;~~

~~(19) 4-[(3-chloro-4-fluorophenyl)amino]-6-{{4-(diethylamino)-1-oxo-2-buten-1-yl}amino}-7-[[tetrahydropyran-4-yl]oxy]quinazoline;~~

(12) ~~(20)~~ 4-[(3-chloro-4-fluorophenyl)amino]-6-({4-[N-methyl-N-(tetrahydrofuran-2-ylmethyl)amino]-1-oxo-2-buten-1-yl}amino)-7-cyclopropylmethoxyquinazoline;

(13) ~~(21)~~ 4-[(3-chloro-4-fluorophenyl)amino]-6-({4-[N-methyl-N-(tetrahydrofuran-3-yl)amino]-1-oxo-2-buten-1-yl}amino)-7-cyclopropylmethoxyquinazoline;

(13) ~~(22)~~ 4-[(3-chloro-4-fluorophenyl)amino]-6-({4-[N-(2-methoxyethyl)-N-methylamino]-1-oxo-2-buten-1-yl}amino)-7-cyclopropylmethoxyquinazoline;

(14) ~~(23)~~ 4-[(3-chloro-4-fluorophenyl)amino]-6-({4-[bis(2-methoxyethyl)amino]-1-oxo-2-buten-1-yl}amino)-7-cyclobutyloxyquinazoline;

- (15)(24) 4-[(3-chloro-4-fluorophenyl)amino]-6-({4-[*N*-methyl-*N*-(2-methoxyethyl)amino]-1-oxo-2-buten-1-yl}amino)-7-cyclobutyloxyquinazoline;
- (16)(25) 4-[(3-chloro-4-fluorophenyl)amino]-6-({4-[(*S*)-*N*-methyl-*N*-(tetrahydrofuran-3-yl)amino]-1-oxo-2-buten-1-yl}amino)-7-cyclobutyloxyquinazoline;
- (17)(26) 4-[(3-chloro-4-fluorophenyl)amino]-6-({4-[(*R*)-*N*-methyl-*N*-(tetrahydrofuran-3-yl)amino]-1-oxo-2-buten-1-yl}amino)-7-cyclobutyloxyquinazoline;
- (18)(27) 4-[(3-chloro-4-fluorophenyl)amino]-6-({4-[*N*-methyl-*N*-(tetrahydropyran-4-yl)amino]-1-oxo-2-buten-1-yl}amino)-7-cyclobutyloxyquinazoline;
- (19)(28) 4-[(3-chloro-4-fluorophenyl)amino]-6-({4-[(*R*)-*N*-methyl-*N*-(tetrahydrofuran-2-ylmethyl)amino]-1-oxo-2-buten-1-yl}-amino)-7-cyclobutyloxyquinazoline;
- (20)(29) 4-[(3-chloro-4-fluorophenyl)amino]-6-({4-[(*S*)-*N*-methyl-*N*-(tetrahydrofuran-2-ylmethyl)amino]-1-oxo-2-buten-1-yl}-amino)-7-cyclobutyloxyquinazoline;
- (21)(30) 4-[(3-chloro-4-fluorophenyl)amino]-6-({4-[*N*-methyl-*N*-(2-methoxyethyl)amino]-1-oxo-2-buten-1-yl}amino)-7-(tetrahydrofuran-3-yloxy)quinazoline;
- (22)(31) 4-[(3-chloro-4-fluorophenyl)amino]-6-({4-[*N*-methyl-*N*-(2-methoxyethyl)amino]-1-oxo-2-buten-1-yl}amino)-7-(tetrahydropyran-4-yloxy)quinazoline;
- (23)(32) 4-[(3-chloro-4-fluorophenyl)amino]-6-({4-[*N*-methyl-*N*-(2-methoxyethyl)amino]-1-oxo-2-buten-1-yl}amino)-7-(tetrahydrofuran-2-ylmethoxy)quinazoline; and
- (24)(33) 4-[(3-chloro-4-fluorophenyl)amino]-6-({4-[(*N*-cyclopropyl-*N*-methylamino)-1-oxo-2-buten-1-yl]amino)-7-cyclopropylmethoxyquinazoline,

or a ~~tautomer~~, stereoisomer; or physiologically acceptable salt thereof.

4. (currently amended) The compound of general formula I according to claim 1, wherein:

R_a is a 1-phenylethyl or 3-chloro-4-fluorophenyl group;

R_b is a dimethylamino, *N*-methyl-*N*-ethylamino, diethylamino, *N*-methyl-*N*-isopropylamino, *N*-methyl-*N*-cyclopropylamino, *N*-methyl-*N*-(2-methoxyethyl)amino, *N*-ethyl-*N*-(2-methoxyethyl)amino, bis(2-methoxyethyl)amino, morpholino, *N*-methyl-*N*-(tetrahydrofuran-3-yl)amino, *N*-methyl-*N*-(tetrahydrofuran-2-ylmethyl)amino, *N*-methyl-*N*-(tetrahydrofuran-3-ylmethyl)amino, *N*-methyl-*N*-(tetrahydropyran-4-yl)amino, or *N*-methyl-*N*-(tetrahydropyran-4-ylmethyl)amino group; and

R_c is a cyclopropylmethoxy, cyclobutyloxy, cyclopentyloxy, tetrahydrofuran-3-yloxy, tetrahydrofuran-2-ylmethoxy, tetrahydrofuran-3-ylmethoxy, tetrahydropyran-4-yloxy, or tetrahydropyran-4-ylmethoxy group,

or a ~~tautomer~~, stereoisomer, or physiologically acceptable salt thereof.

5. (currently amended) The compound of general formula I according to claim 2, wherein:

R_a is a 1-phenylethyl or 3-chloro-4-fluorophenyl group;

R_b is a dimethylamino, *N*-methyl-*N*-ethylamino, diethylamino, *N*-methyl-*N*-isopropylamino, *N*-methyl-*N*-cyclopropylamino, *N*-methyl-*N*-(2-methoxyethyl)amino, *N*-ethyl-*N*-(2-methoxyethyl)amino, bis(2-methoxyethyl)amino, morpholino, *N*-methyl-*N*-(tetrahydrofuran-3-yl)amino, *N*-methyl-*N*-(tetrahydrofuran-2-ylmethyl)amino, *N*-methyl-*N*-(tetrahydrofuran-3-ylmethyl)amino, *N*-methyl-*N*-(tetrahydropyran-4-yl)amino, or *N*-methyl-*N*-(tetrahydropyran-4-ylmethyl)amino group; and

R_c is a cyclopropylmethoxy, cyclobutyloxy, cyclopentyloxy, tetrahydrofuran-3-yloxy, tetrahydrofuran-2-ylmethoxy, tetrahydrofuran-3-ylmethoxy, tetrahydropyran-4-yloxy, or tetrahydropyran-4-ylmethoxy group,

or a ~~tautomer~~, stereoisomer, or physiologically acceptable salt thereof.

6. (currently amended) The compound of general formula I according to claim 3, wherein:

R_a is a 1-phenylethyl or 3-chloro-4-fluorophenyl group;

R_b is a dimethylamino, *N*-methyl-*N*-ethylamino, diethylamino, *N*-methyl-*N*-isopropylamino, *N*-methyl-*N*-cyclopropylamino, *N*-methyl-*N*-(2-methoxyethyl)amino, *N*-ethyl-*N*-(2-methoxyethyl)amino, bis(2-methoxyethyl)amino, morpholino, *N*-methyl-*N*-(tetrahydrofuran-3-yl)amino, *N*-methyl-*N*-(tetrahydrofuran-2-ylmethyl)amino, *N*-methyl-*N*-(tetrahydrofuran-3-ylmethyl)amino, *N*-methyl-*N*-(tetrahydropyran-4-yl)amino, or *N*-methyl-*N*-(tetrahydropyran-4-ylmethyl)amino group; and

R_c is a cyclopropylmethoxy, cyclobutyloxy, cyclopentyloxy, tetrahydrofuran-3-yloxy, tetrahydrofuran-2-ylmethoxy, tetrahydrofuran-3-ylmethoxy, tetrahydropyran-4-yloxy, or tetrahydropyran-4-ylmethoxy group,

or a ~~tautomer~~, stereoisomer; or physiologically acceptable salt thereof.

7. (currently amended) A compound selected from the group consisting of:

(a) 4-[(3-chloro-4-fluorophenyl)amino]-6-{{4-(*N,N*-dimethylamino)-1-oxo-2-buten-1-yl}amino}-7-cyclobutyloxyquinazoline;

(b) 4-[(3-chloro-4-fluorophenyl)amino]-6-{{4-(*N,N*-dimethylamino)-1-oxo-2-buten-1-yl}amino}-7-cyclopentyloxyquinazoline;

(c) 4-[(*R*)-(1-phenylethyl)amino]-6-{{4-(*N,N*-bis(2-methoxyethyl)amino)-1-oxo-2-buten-1-yl}amino}-7-cyclopropylmethoxyquinazoline;

(d) 4-[(*R*)-(1-phenylethyl)amino]-6-({4-[*N*-(2-methoxyethyl)-*N*-ethylamino]-1-oxo-2-buten-1-yl}amino)-7-cyclopropylmethoxyquinazoline;

(e) 4-[(*R*)-(1-phenylethyl)amino]-6-({4-[*N*-(2-methoxyethyl)-*N*-methylamino]-1-oxo-2-buten-1-yl}amino)-7-cyclopropylmethoxyquinazoline;

(f) 4-[(*R*)-(1-phenylethyl)amino]-6-({4-[*N*-(tetrahydropyran-4-yl)-*N*-methylamino]-1-oxo-2-buten-1-yl}amino)-7-cyclopropylmethoxyquinazoline;

(g) 4-[(*R*)-(1-phenylethyl)amino]-6-({4-[*N*-(tetrahydrofuran-3-yl)-*N*-methylamino]-1-oxo-2-buten-1-yl}amino)-7-cyclopropylmethoxyquinazoline;

(h) 4-[(3-chloro-4-fluorophenyl)amino]-6-[(4-{*N*-[(tetrahydrofuran-3-yl)methyl]-*N*-methylamino}-1-oxo-2-buten-1-yl)amino]-7-cyclopropylmethoxyquinazoline;

(i) 4-[(3-chloro-4-fluorophenyl)amino]-6-{{4-(*N,N*-dimethylamino)-1-oxo-2-buten-1-yl}amino}-7-((*R*)-tetrahydrofuran-3-yloxy)quinazoline;

(j) 4-[(3-chloro-4-fluorophenyl)amino]-6-{{4-(*N,N*-dimethylamino)-1-oxo-2-buten-1-yl}amino}-7-((*S*)-tetrahydrofuran-3-yloxy)quinazoline;

(k) 4-[(3-chloro-4-fluorophenyl)amino]-6-{{4-(*N,N*-dimethylamino)-1-oxo-2-buten-1-yl}amino}-7-(tetrahydropyran-4-yloxy)quinazoline;

(l) 4-[(3-chloro-4-fluorophenyl)amino]-6-{{4-(*N,N*-dimethylamino)-1-oxo-2-buten-1-yl}amino}-7-[(tetrahydrofuran-2-yl)methoxy]quinazoline;

(m) 4-[(3-chloro-4-fluorophenyl)amino]-6-{{4-(*N,N*-dimethylamino)-1-oxo-2-buten-1-yl}amino}-7-[(tetrahydrofuran-3-yl)methoxy]quinazoline;

~~(n) 4-[(3-chloro-4-fluorophenyl)amino]-6-{{4-(*N,N*-diethylamino)-1-oxo-2-buten-1-yl}amino}-7-[(tetrahydrofuran-3-yl)methoxy]quinazoline;~~

(p) 4-[(*R*)-(1-phenylethyl)amino]-6-{{4-(*N,N*-dimethylamino)-1-oxo-2-buten-1-yl}amino}-7-cyclopropylmethoxyquinazoline;

(q) 4-[(3-chloro-4-fluorophenyl)amino]-6-({4-[*N,N*-bis(2-methoxyethyl)amino]-1-oxo-2-buten-1-yl}amino)-7-[(tetrahydrofuran-2-yl)methoxy]quinazoline;

(r) 4-[(3-chloro-4-fluorophenyl)amino]-6-{{4-(morpholin-4-yl)-1-oxo-2-buten-1-yl}amino}-7-[(tetrahydrofuran-2-yl)methoxy]quinazoline;

Examiners
And
7-1-04

(s) 4-[(3-chloro-4-fluorophenyl)amino]-6-[[4-(*N*-cyclopropyl-*N*-methylamino)-1-oxo-2-buten-1-yl]amino]-7-cyclopentyloxyquinazoline; and

(t) 4-[(3-chloro-4-fluorophenyl)amino]-6-[[4-(*N,N*-dimethylamino)-1-oxo-2-buten-1-yl]amino]-7-[(*S*)-(tetrahydrofuran-2-yl)methoxy]quinazoline, or

~~a tautomer,~~ the stereoisomer, or physiologically acceptable salt thereof.

8. (original) A compound according to one of claims 1, 2, 4, 5, or 7, wherein the compound is a physiologically acceptable salt.

9. (original) A compound according to claim 3, wherein the compound is a physiologically acceptable salt.

10. (original) A compound according to claim 6, wherein the compound is a physiologically acceptable salt.

11. (original) A pharmaceutical composition comprising a compound according to one of claims 1, 2, 4, 5, or 7, and one or more inert carriers and/or diluents.

12. (original) A pharmaceutical composition comprising a compound according to claim 3, and one or more inert carriers and/or diluents.

13. (original) A pharmaceutical composition comprising a compound according to claim 6, and one or more inert carriers and/or diluents.

14. (original) A pharmaceutical composition comprising a compound according to claim 8, and one or more inert carriers and/or diluents.

15. (original) A pharmaceutical composition comprising a compound according to claim 9, and one or more inert carriers and/or diluents.

16. (original) A pharmaceutical composition comprising a compound according to claim 10, and one or more inert carriers and/or diluents.

17. (currently amended) A method of preventing or treating ^{further growth of tumors} benign or malignant tumors, ~~and diseases of the airways and lungs, and diseases of the gastrointestinal tract, bile duct, and gall~~

~~bladder~~ in a patient in need thereof, the method comprising administering to the patient an effective amount of a compound according to one of claims 1, 2, 4, 5, or 7.

*Examiners
Amdt
7-104*

18. (currently amended) A method of preventing or treating benign or malignant tumors, ^{further growth of tumors} ~~and diseases of the airways and lungs, and diseases of the gastrointestinal tract, bile duct, and gall bladder~~ in a patient in need thereof, the method comprising administering to the patient an effective amount of a compound according to claim 3.

19. (currently amended) A method of preventing or treating benign or malignant tumors, ^{further growth of tumors} ~~and diseases of the airways and lungs, and diseases of the gastrointestinal tract, bile duct, and gall bladder~~ in a patient in need thereof, the method comprising administering to the patient an effective amount of a compound according to claim 6.